

OntarioMD PSS Clinic Toolkit: Cancer Screening

Contents

PSS Clinic Toolkit – Cancer Screening.....	1
EMR and Data Entry Requirements.....	1
Indicators	2
Females 25-69: Cervical Cancer Screening	2
Females 25-69: Cervical Cancer Screening Recall.....	3
Females 40-74: Breast Cancer Screening	4
Females 40-74: Breast Cancer Screening Recall.....	5
Adults 50-74: Colorectal Cancer Screening	6
Adults 50-74: Colorectal Cancer Screening Recall.....	7

PSS Clinic Toolkit – Cancer Screening

Females 25-69: Cervical Cancer Screening	Females 40-74: Breast Cancer Screening	Adults 50-74: Colorectal Cancer Screening
Screening up to date	Screening up to date	Screening up to date
Excluded	Excluded	Excluded
Screening overdue	Screening overdue	Screening overdue
Females 25-69: Cervical Screening Recall	Females 40-74: Breast Screening Recall	Adults 50-74: Colorectal Cancer Recall
Overdue: Action Required < 3m	Overdue: Action Required < 3m	Overdue: Action Required < 3m
Overdue: Action Required > 3m	Overdue: Action Required > 3m	Overdue: Action Required > 3m
Overdue: Pending >= 1m	Overdue: Pending >= 2m	Overdue: Pending >= 2m
Overdue: Declined	Overdue: Declined	Overdue: Declined
Up to Date: Screening <= 4 months	Up to Date: Screening <= 4 months	Up to Date: Screening <= 4 months
Up to Date: Screening 4 - 7 months	Up to Date: Screening 4 - 7 months	Up to Date: Screening 4 - 7 months

Discard

EMR and Data Entry Requirements

EMR knowledge prerequisites:

- Familiarity with recall tools within the EMR

Each report has specific data requirements in addition to the following:

- Patient charts must be assigned to a provider
- Accurate 'Active' status of patient charts ('Active' status includes rostered and non-rostered patients)

If you require further assistance, please contact us at 1-866-744-8668 or support@ontariomd.com.

[Back to top](#)

Indicators

Below you will find explanations of the indicators. Each entry includes the indicator's purpose and any charting and documentation requirements.

To access support or to provide feedback on your experience, contact us at 1-866-744-8668 or support@ontariomd.com.

Females 25-69: Cervical Cancer Screening

i4C Indicator PHC-CAN-003: Patient Care Cervical Cancer Screening v 2.0

Category: Preventive Health Care/Cancer

The **Patient Care: Cervical Cancer Screening** indicator is based on the **HQO** indicator framework, version October 2015.

It has been updated according to the March 2025 cervical screening and colposcopy recommendations with HPV testing from **Ontario Health Cancer Care Ontario**.

Indicator Definition: Women aged 25 to 69 (inclusive) who had a Human Papillomavirus (HPV) test within the past five years or Papanicolaou (Pap) test or Q011A within the past three years.

Purpose: To assist with the management of preventive screening for cervical cancer.

Suggested use: Use this report to review patient charts for those who are overdue or coming due for cervical cancer screening.

Base Population: 'Active' Demographic Status, Females aged 25-69 inclusive.

Metric Criteria:

Screening overdue: Patients WITHOUT a most recent Human Papillomavirus (HPV) test in the past 60 months, AND WITHOUT a most recent Pap Smear report documented or most recent Q011A tracking code billed in the past 36 months, AND who are NOT excluded.

Screening up to date: Patients WITH a most recent Human Papillomavirus (HPV) test in the past 60 months, OR WITH a most recent Pap Smear report documented or most recent Q011A tracking code billed in the past 36 months, AND who are NOT excluded.

Excluded: Patients WITH a Q140A service code billed

OR WITH any of the following documented in the Problem List or History of Past Health as text:

- hysterectomy
- hysterosal

If you require further assistance, please contact us at 1-866-744-8668 or support@ontariomd.com.

[Back to top](#)

- Cervical Ca
- TVH
- TABH
- TAH

OR WITH any of the following diagnoses coded in the Problem List or History of Past Health:

- 68.3: Abdominal Hysterectomy
- 68.4: Total Abdominal Hysterectomy
- 68.5: Vaginal Hysterectomy
- 68.6: Radical Abdominal Hysterectomy
- 68.7: Radical Vaginal Hysterectomy
- 68.8: Pelvic Evisceration
- 68.9: Other and Unspecified Hysterectomy
- V45.77: Acquired absence of organ, genital organs

Females 25-69: Cervical Cancer Screening Recall

i4C Indicator PHC-CAN-004: Patient Care Cervical Cancer Screening Overdue v 2.0

Category: Preventive Health Care/Cancer

Purpose: Use to prioritize patients who need a recall for cervical cancer screening.

Suggested use: Manage the recall of patients who are overdue, or in 'Pending' status for results, or coming due soon for cervical cancer screening. Delegate to staff to support recall, reminders, and monitoring of cancer screening activities.

Base Population: 'Active' Demographic Status, Female, age 25-69 inclusive, eligible for cervical cancer screening who are overdue or coming due within the next 7 months.

Metric Criteria:

<= 3 months overdue: Patients OVERDUE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITH a most recent Human Papillomavirus (HPV) test in the past 61-63 months inclusive, OR WITH a most recent Pap Smear report documented or most recent Q011A tracking code billed in the past 37-39 months inclusive, AND WITHOUT a status of 'Pending' or 'Declined' for cervical cancer screening most recently documented in the past 36 months.

> 3 months overdue: Patients OVERDUE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITHOUT a most recent Human Papillomavirus (HPV) test in the past 61-63 months inclusive, AND WITHOUT a most recent Pap Smear report documented or most recent Q011A tracking code billed in the past 37-39 months inclusive,

AND WITHOUT a status of 'Pending' or 'Declined' for cervical cancer screening most recently documented in the past 36 months.

< 1 month pending: Patients OVERDUE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITH a status of 'Pending' for cervical cancer screening most recently documented less than 1 month ago.

Pending documented using the OntarioMD Preventive Screening Custom Form

>= 1 month pending: Patients OVERDUE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITH a status of 'Pending' for cervical cancer screening most recently documented in the past 2-36 months inclusive.

Pending documented using the OntarioMD Preventive Screening Custom Form

Declined: Patients OVERDUE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITHOUT a status of 'Pending' for cervical cancer screening most recently documented in the past 36 months, AND WITH a status of 'Declined' for cervical cancer screening most recently documented in the past 36 months.

Declined documented using the OntarioMD Preventive Screening Custom Form

Due in < 4 months: Patients UP-TO-DATE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITH a most recent Human Papillomavirus (HPV) test in the past 56-59 months inclusive, OR WITH a most recent Pap Smear report documented or most recent Q011A billed in the past 32-35 months inclusive.

Due in >= 4 and < 7 months: Patients UP-TO-DATE for cervical cancer screening (as defined under 'Cervical Cancer Screening'), AND WITH a most recent Human Papillomavirus (HPV) test in the past 53-55 months inclusive, OR WITH a most recent Pap Smear report documented or most recent Q011A billed in the past 29-31 months inclusive.

Females 40-74: Breast Cancer Screening

i4C Indicator PHC-CAN-001: Patient Care Breast Cancer Screening v 2.0

Category: Preventive Health Care/Cancer

The **Patient Care: Breast Cancer Screening** indicator is based on the **CIHI** indicator framework, version November 2012.

It has been updated according to the March 2024 breast cancer screening recommendations for ages 40 to 49 from **Ontario Health Cancer Care Ontario**.

Indicator Definition: Women aged 40 to 74 (inclusive) who had a Mammogram or Q131A within the past two years.

Purpose: To assist with the management of preventive screening for breast cancer.

If you require further assistance, please contact us at 1-866-744-8668 or support@ontariomd.com.

[Back to top](#)

Suggested use: Use this report to review patient charts for those who are overdue or coming due for breast cancer screening.

Base Population: ‘Active’ Demographic Status, Females aged 40-74 inclusive.

Metric Criteria:

Screening overdue: Patients WITHOUT a most recent Mammogram report documented or most recent Q131A tracking code billed in the past 24 months, AND who are NOT excluded.

Screening up to date: Patients WITH a most recent Mammogram report documented or most recent Q131A tracking code billed in the past 24 months, AND who are NOT excluded.

Excluded: Patients WITH a Q141A service code billed

OR WITH any of the following recorded in the Problem List or History of Past Health as text:

- mastectomy
- cancer breast
- breast ca
- ca breast

OR WITH any of the following diagnoses coded in the Problem List or History of Past Health:

- 174: Malignant neoplasm of female breast
- V45.71: Acquired absence of breast and nipple

Females 40-74: Breast Cancer Screening Recall

i4C Indicator PHC-CAN-002: Patient Care Breast Cancer Screening Overdue v 2.0

Category: Preventive Health Care/Cancer

Purpose: Use to prioritize patients who need a recall for breast cancer screening.

Suggested use: Manage the recall of patients who are overdue, or in ‘Pending’ status for results, or coming due soon for breast cancer screening. Delegate to staff to support recall, reminders, and monitoring of cancer screening activities.

Base Population: ‘Active’ Demographic Status, Females aged 40-74 inclusive, eligible for breast cancer screening who are overdue or coming due within the next 7 months.

Metric Criteria:

<= 3 months overdue: Patients OVERDUE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITH a most recent Mammogram report documented or most recent Q131A tracking code billed in the past 25-27 months inclusive, AND WITHOUT

a status of 'Pending' or 'Declined' for breast cancer screening most recently documented in the past 24 months.

> 3 months overdue: Patients OVERDUE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITHOUT a most recent Mammogram report documented or most recent Q131A tracking code billed in the past 25-27 months inclusive, AND WITHOUT a status of 'Pending' or 'Declined' for breast cancer screening most recently documented in the past 24 months.

< 2 months pending: Patients OVERDUE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITH a status of 'Pending' for breast cancer screening most recently documented less than 2 months ago.

Pending documented using the OntarioMD Preventive Screening Custom Form

>= 2 months pending: Patients OVERDUE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITH a status of 'Pending' for breast cancer screening most recently documented in the past 2-24 months inclusive.

Pending documented using the OntarioMD Preventive Screening Custom Form

Declined: Patients OVERDUE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITHOUT a status of 'Pending' for breast cancer screening most recently documented in the past 24 months, AND WITH a status of 'Declined' for breast cancer screening most recently documented in the past 24 months.

Declined documented using the OntarioMD Preventive Screening Custom Form

Due in < 4 months: Patients UP-TO-DATE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITH a most recent Mammogram report documented or most recent Q131A tracking code billed in the past 20-23 months inclusive.

Due in >= 4 and < 7 months: Patients UP-TO-DATE for breast cancer screening (as defined under 'Breast Cancer Screening'), AND WITH a most recent Mammogram report documented or most recent Q131A tracking code billed in the past 17-19 months inclusive.

Adults 50-74: Colorectal Cancer Screening

i4C Indicator PHC-CAN-005: Patient Care Colorectal Cancer Screening v 2.0

Category: Preventive Health Care/Cancer

The **Patient Care: Colorectal Cancer Screening** indicator is based on the **CIHI** indicator framework, version November 2012 and modified to accommodate new Cancer Care Ontario guidelines, published 2019.

Indicator Definition: Adults aged 50 to 74 (inclusive) who had a Fecal Immunochemical Test (FIT) test or Q133A within the past two years or Sigmoidoscopy within the past five years or Colonoscopy within the past ten years.

Purpose: To assist with the management of preventive screening for colorectal cancer.

Suggested use: Use this report to review patient charts for those who are overdue or coming due for colorectal cancer screening.

Base Population: 'Active' Demographic Status, Patients aged 50-74 inclusive.

Metric Criteria:

Screening overdue: Patients WITHOUT a most recent Fecal Immunochemical Test (FIT) test or most recent Q133A tracking code billed in the past 24 months, AND WITHOUT a most recent Sigmoidoscopy report documented in the past 60 months, AND WITHOUT a most recent Colonoscopy report documented in the past 120 months, AND who are NOT excluded.

Screening up to date: Patients WITH a most recent Fecal Immunochemical Test (FIT) test or most recent Q133A tracking code billed in the past 24 months, OR WITH a most recent Sigmoidoscopy report documented in the past 60 months, OR WITH a most recent Colonoscopy report documented in the past 120 months, AND who are NOT excluded.

Excluded: Patients WITH any of the following documented in the Problem List or History of Past Health as text:

- Colon ca
- colorectal ca
- bowel ca
- Crohn
- Colitis
- Inflammatory Bowel Disease
- IBD
- colectomy

OR WITH any of the following diagnoses coded in the Problem List or History of Past Health:

- 153: Malignant neoplasm of colon (ICD-9)
- 154: Malignant neoplasm of rectum rectosigmoid junction and anus (ICD-9)
- 555: Regional enteritis (ICD-9)
- 556: Ulcerative enterocolitis (ICD-9)
- V10.05: Personal history of malignant neoplasm of large intestine (ICD-9)

Adults 50-74: Colorectal Cancer Screening Recall

i4C Indicator PHC-CAN-006: Patient Care Colorectal Cancer Screening Overdue v 2.0

If you require further assistance, please contact us at 1-866-744-8668 or support@ontariomd.com.

[Back to top](#)

Category: Preventive Health Care/Cancer

Purpose: Use to prioritize patients who need a recall for colorectal cancer screening.

Suggested use: Manage the recall of patients who are overdue, or in 'Pending' status for results, or coming due soon for colorectal cancer screening. Delegate to staff to support recall, reminders, and monitoring of cancer screening activities.

Base Population: 'Active' Demographic Status, Patients aged 50-74 inclusive, eligible for colorectal cancer screening who are overdue or coming due within the next 7 months.

Metric Criteria:

<= 3 months overdue: Patients OVERDUE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITH any of the following:

- Most recent Fecal Immunochemical Test (FIT) test or most recent Q133A tracking code billed in the past 25-27 months inclusive
- Most recent Sigmoidoscopy report documented in the past 61-63 months inclusive
- Most recent Colonoscopy report documented in the past 121-123 months inclusive

AND WITHOUT a status of 'Pending' or 'Declined' for colorectal cancer screening most recently documented in the past 24 months.

> 3 months overdue: Patients OVERDUE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITHOUT any of the following:

- Most recent Fecal Immunochemical Test (FIT) test or most recent Q133A tracking code billed in the past 25-27 months inclusive
- Most recent Sigmoidoscopy report documented in the past 61-63 months inclusive
- Most recent Colonoscopy report documented in the past 121-123 months inclusive

AND WITHOUT a status of 'Pending' or 'Declined' for colorectal cancer screening most recently documented in the past 24 months.

<= 2 months pending: Patients OVERDUE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITH a status of 'Pending' for colorectal cancer screening most recently documented less than 2 months ago.

Pending documented using the OntarioMD Preventive Screening Custom Form

>= 2 months pending: Patients OVERDUE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITH a status of 'Pending' for colorectal cancer screening most recently documented in the past 2-24 months inclusive.

Pending documented using the OntarioMD Preventive Screening Custom Form

Declined: Patients OVERDUE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITHOUT a status of 'Pending' most recently documented in the past 24 months, AND WITH a status of 'Declined' for colorectal cancer screening most recently documented in the past 24 months.

Declined documented using the OntarioMD Preventive Screening Custom Form

Due in < 4 months: Patients UP-TO-DATE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITH any of the following:

- Most recent Fecal Immunochemical Test (FIT) test or most recent Q133A tracking code billed in the past 20-23 months inclusive
- Most recent Sigmoidoscopy report documented in the past 56-59 months inclusive
- Most recent Colonoscopy report documented in the past 116-119 months inclusive

Due in ≥ 4 and < 7 months: Patients UP-TO-DATE for colorectal cancer screening (as defined under 'Patient Care Colorectal Cancer Screening'), AND WITH any of the following:

- Most recent Fecal Immunochemical Test (FIT) test or most recent Q133A tracking code billed in the past 17-19 months inclusive
- Most recent Sigmoidoscopy report documented in the past 53-55 months inclusive
- Most recent Colonoscopy report documented in the past 113-115 months inclusive