


OntarioMD PSS Clinic Toolkit: Adult Immunization

Contents

PSS Clinic Toolkit – Adult Immunization.....	1
EMR and Data Entry Requirements.....	1
Indicators	1
Adults 65+: Pneumococcal Immunization	2
Adults 65+: Annual Influenza Immunization.....	2

PSS Clinic Toolkit – Adult Immunization



EMR and Data Entry Requirements

EMR knowledge prerequisites:

- Familiarity with recall tools within the EMR

Each report in the toolkit has specific data requirements in addition to the following:

- Patient charts must be assigned to a provider
- Accurate 'Active' status of patient charts ('Active' status includes rostered and non-rostered patients)

Indicators

Below you will find explanations of the indicators. Each entry includes the indicator's purpose and any charting and documentation requirements.

To access support or to provide feedback on your experience, contact us at 1-866-744-8668 or support@ontariomd.com.

Adults 65+: Pneumococcal Immunization

i4C Indicator PHC-IMM-004: Pneumococcal Immunization v 2.0

Category: Preventive Health Care/Immunizations

Purpose: This indicator is used to identify patients aged 65+ who are immunized against pneumonia.

Base Population: All patients aged 65 years and older, with an 'Active' demographic status recorded in the EMR.

Suggested use: Assist in reviewing the process for pneumonia vaccinations.

Metric Criteria:

Pneumococcal overdue: WITHOUT a Pneumococcal immunization documented and WITHOUT a Pneumococcal immunization refusal documented in the last 12 months.

Pneumococcal up to date: WITH a Pneumococcal immunization documented.

Pneumococcal refused: WITHOUT a Pneumococcal immunization documented and WITH a Pneumococcal immunization refusal documented in the last 12 months.

Adults 65+: Annual Influenza Immunization

i4C Indicator PHC-IMM-003: Patient Care Influenza Immunization v 2.0

Category: Preventive Health Care/Immunizations

Purpose: This indicator is used to identify patients age 65+ who are immunized against influenza.

Base Population: All patients aged 65 years and older, with an 'Active' demographic status recorded in the EMR.

Suggested use: To identify patients who haven't received the flu shot during the current flu season and to remind them of upcoming flu clinics at the office or remind them to let the office know if they received the flu shot elsewhere.

Metric Criteria:

Influenza overdue: WITHOUT an Influenza immunization or tracking code of Q130A documented between Oct 1 and Jan 31 of the current flu season and WITHOUT an Influenza immunization refusal documented between Oct 1 and Jan 31 of the current flu season.

Influenza up to date: WITH an Influenza immunization or a tracking code of Q130A documented between Oct 1 and Jan 31 of the current flu season.

Influenza refused: WITHOUT an Influenza immunization or a tracking code of Q130A documented between Oct 1 and Jan 31 of the current flu season and WITH an Influenza immunization refusal documented between Oct 1 and Jan 31 of the current flu season.